

CD106 Rabbit pAb

货号: **AYP24796**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	81kDa
实测分子量	85-100KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	RAW264.7(Negative control),Mouse spleen
细胞定位	
纯化	Affinity purification

抗原信息


抗原信息	Recombinant protein of mouse CD106.
序列	

靶点信息

研究背景	Predicted to enable integrin binding activity and primary amine oxidase activity. Acts upstream of or with in several processes, including cellular response to glucose stimulus; chorio-allantoic fusion; and heterophilic cell-cell adhesion via plasma membrane cell adhesion molecules. Located in apical plasma membrane. Is expressed in several structures, including brain; embryo mesenchyme; extraembryonic component; heart; and hemolymphoid system. Human ortholog(s) of this gene implicated in hypertension. Orthologous to human VCAM1 (vascular cell adhesion molecule 1).
基因ID	22329

基因名	
Swiss	P29533
别名	CD106; Vcam-1

产品验证



Western blot analysis of CD106 expressed in RAW264.7(Negative control),Mouse spleen using CD106 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn