

— ABLYBIO, Help Your Research



# CD275 Rabbit pAb

货号: **AYP24820**

## 产品信息

|       |  |
|-------|--|
| 反应    | Human  |
| 宿主    | Rabbit   |
| 克隆性   | Polyclonal   |
| 预测反应  |  |
| 应用    | WB   |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000  |
| 理论分子量 | 36kDa  |
| 实测分子量 | 65-75KDa   |
| 形式    | Liquid   |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated   |
| 阳性对照  | Mouse spleen   |
| 细胞定位  | Cell membrane  |
| 纯化    | Affinity purification  |


## 抗原信息

|      |                                     |
|------|-------------------------------------|
| 抗原信息 | Recombinant protein of human CD275. |
|------|-------------------------------------|

## 靶点信息

|       |   |
|-------|---|
| 研究背景  | Predicted to enable identical protein binding activity and signaling receptor binding activity. Involved in positive regulation of interleukin-4 production. Located in external side of plasma membrane. Is integral component of plasma membrane. Is expressed in several structures, including extraembryonic component; gonad; hemolymphoid system gland; liver; and stomach. Orthologous to human ICOSLG (inducible T cell costimulator ligand). |
| 基因ID  | 50723   |
| 基因名   | Icoslg  |
| Swiss | Q9JHJ8  |
| 别名    | B7h,GI50,GL50,B7-H2,LICOS,B7RP-1,GL50-B,ICOS-L,Icoslg,Ly115l,mKIAA0653,CD275 Rabbit pAb,B7 homolog 2,B7-like protein GI50,B7-related protein 1,B7h2,B7rp1,Icosl   |

## 产品验证



Western blot analysis of CD275 expressed in Mouse spleen using CD275 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)