

— ABLYBIO, Help Your Research



METRNL Rabbit pAb

货号: **AYP24821**

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 34kDa |
| 实测分子量 | 26KDa/34KDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Mouse kidney |
| 细胞定位 | Secreted |
| 纯化 | Affinity purification |

抗原信息


| | |
|------|--------------------------------------|
| 抗原信息 | Recombinant protein of mouse METRNL. |
|------|--------------------------------------|

靶点信息

| | |
|------|---|
| 研究背景 | Predicted to enable hormone activity. Predicted to be involved in several processes, including brown fat cell differentiation; energy homeostasis; and positive regulation of brown fat cell differentiation. Located in extracellular exosome. |
|------|---|

| | |
|-------|--|
| 基因ID | 284207 |
| 基因名 | METRNL |
| Swiss | Q641Q3 (https://www.uniprot.org/uniprotkb/Q641Q3/entry) |
| 别名 | METRNL Rabbit pAb,METRNL,Subfatin |

产品验证



Western blot analysis of METRNL expressed in Mouse kidney using METRNL Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)