

MAVS Rabbit pAb

货号: **AYP25051**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus , Homo sapiens , Chlorocebus aethiops
应用	WB IHC IF/ICC
推荐浓度	WB: 1:1000 - 1:5000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	14kDa/15kDa/17kDa/40kDa/56kDa
实测分子量	75KDa/52KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse liver,Rat kidney
细胞定位	Mitochondrion,Mitochondrion outer membrane,Peroxisome
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 150-250 of human MAVS (NP_06579 7.2).
序列	PESPGENSEQALQTLSPRAIPRNPDGPLESSDLAALSPLTSSGHQEQDTELGSTHTAGATSSLTSPSRGPVSPSVSFQPLARSTPRASRLPGPTGSSVST

靶点信息

研究背景	This gene encodes an intermediary protein necessary in the virus-triggered beta interferon signaling pathways. It is required for activation of transcription factors which regulate expression of beta interferon and contributes to antiviral immunity. Multiple transcript variants encoding different isoforms have been found for this gene.
------	---

基因ID	57506
基因名	MAVS
Swiss	Q7Z434
别名	CARDIF;IPS-1;IPS1;VISA;MAVS

产品验证



Western blot analysis of MAVS expressed in Mouse liver,Rat kidney using MAVS Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn