

ZBP1 Rabbit pAb

货号: **AYP25088**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	15kDa/27kDa/38kDa, 41-48kDa
实测分子量	46kDa/60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	mouse lung, rat lung
细胞定位	cytoplasm, cytosol, nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human ZBP1 (NP_110403.2).
序列	MAQAPADPGREGHLEQRILQVLTEAGSPVKLAQLVKECQAPKRELNQVLYRMKKEKLVSLTSPATWCLGGTDPEGEGPAE LALSSPAERPQQAATIPETPGPQFSQQREEDIYRFLKDNGPQRALVIAQALGMRTAKDVNRDLYRMKSRHLLDMDEQSK AWTIYRPEDSGRRRAKSASIIYQHNPINMICQNGPNSWISI

靶点信息

研究背景	This gene encodes a Z-DNA binding protein. The encoded protein plays a role in the innate immune response by binding to foreign DNA and inducing type-I interferon production. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	81030

基因名	ZBP1
Swiss	Q9H171
别名	ZBP1;C20orf183;DAI;DLM-1;DLM1

产品验证



Western blot analysis of ZBP1 expressed in mouse lung, rat lung using ZBP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn