

# PER1 Rabbit pAb

货号: **AYP25201**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Primary mouse liver , Mus musculus , Drosophila melanogaster
应用	<a href="#">WB</a> <a href="#">IHC</a> <a href="#">IF/ICC</a>
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IHC:</b> 1:50 - 1:200 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	91kDa/136kDa
实测分子量	136KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-200 of human PER1 ( NP_002607.2).
序列	MSGPLEGADGGGDPRPGESFCPGGVSPGPPQHRPCPGPSLADDDANSNGSSGNESNGHESRGASQRSSHSSSSGN GKSALLETTESKSTNSQSPSPSSSIAYSLLSASSEQDNPSTSGCSSEQSARARTQKELMTALRELKLRLLPPERRGKGR SGTLATLQYALACVKQVQANQEYYQQWSLEEGEPCSMDMSTY

## 靶点信息

研究背景	This gene is a member of the Period family of genes and is expressed in a circadian pattern in the suprachiasmatic nucleus, the primary circadian pacemaker in the mammalian brain. Genes in this family encode components of the circadian rhythms of locomotor activity, metabolism, and behavior. This gene is upregulated by CLOCK/ARNTL heterodimers but then represses this upregulation in a feedback loop using PER/CRY heterodimers to interact with CLOCK/ARNTL. Polymorphisms in this gene may increase the risk of getting certain cancers. Alternative splicing has been observed in this gene; however, these variants have not been fully described.
基因ID	5187
基因名	PER1
Swiss	O15534
别名	PER1;PER;RIGUI;hPER

## 产品验证



Western blot analysis of PER1 expressed in Mouse brain using PER1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)