

# IL27RA Rabbit pAb

货号: AYP25227

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Mus musculus
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IHC:</b> 1:50 - 1:200
理论分子量	69kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,Mouse liver,Rat liver
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 33-283 of human IL27R A (NP_004834.1).
序列	QGSAGPLQCYGVGPLGDLNCSWEPLGDLGAPSELHLQSQKYRSNKTQTVAVAAGRSWVAIPREQLTMSDKLLVWGTKA GQPLWPPVFNLETQMKPNAPRLGPDVDFSEDDPLEATVHWAPPTWPSHKVLICQFHYYRCQEAAWTLLEPELKTIP VEIQDLELATGYKVYGRRCRMEKEEDLWGEWSPILSFQTTPSAPKDVVWVSGNLGCTPGGEEPLLLWKAPGPCVQVSYKVV FWVGGRELSPEGIT

## 靶点信息

研究背景	In mice, CD4+ helper T-cells differentiate into type 1 (Th1) cells, which are critical for cell-mediated immunity, predominantly under the influence of IL12. Also, IL4 influences their differentiation into type 2 (Th2) cells, which are critical for most antibody responses. Mice deficient in these cytokines, their receptors, or associated transcription factors have impaired, but are not absent of, Th1 or Th2 immune responses. This gene encodes a protein which is similar to the mouse T-cell cytokine receptor Tccr at the amino acid level , and is predicted to be a glycosylated transmembrane protein.
基因ID	9466
基因名	IL27RA
Swiss	Q6UWB1
别名	IL27RA;CRL1;IL-27RA;IL27R;TCCR;WSX1;zcytor1

## 产品验证



Western blot analysis of IL27RA expressed in MCF7, Mouse liver, Rat liver using IL27RA Rabbit pAb at 1:1 000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)