

DICER1 Rabbit pAb

货号: **AYP25246**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:200
理论分子量	92kDa/208kDa/218kDa
实测分子量	250KDaa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293F
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 350-450 of human DICER1 (NP_001258211.1).
序列	TFLRKIHALCEEHFSPASLDLKFVTPKVIKLEILRKYKPYERQQFESVEWYNNRNQDNYSWSDSEDDDEEIEEKEKPE TNFPSPFTNILCGIIFVER

靶点信息

研究背景	This gene encodes a protein possessing an RNA helicase motif containing a DEXH box in its amino terminus and an RNA motif in the carboxy terminus. The encoded protein functions as a ribonuclease and is required by the RNA interference and small temporal RNA (stRNA) pathways to produce the active small RNA component that represses gene expression. Alternative splicing results in multiple transcript variants.
基因ID	23405

基因名	DICER1
Swiss	Q9UPY3
别名	DICER1;DCR1;Dicer;Dicer1e;HERNA;K12H4.8-LIKE;MNG1;RMSE2

产品验证



Western blot analysis of DICER1 expressed in 293F using DICER1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn