

# MSRB3 Rabbit pAb

货号: **AYP25259**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	<b>WB:</b> Human hepatocellular carcinoma cell line
应用	<a href="#">WB</a> <a href="#">IF/ICC</a>
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	20kDa
实测分子量	25kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse lung,Mouse testis,Mouse brain,Rat lung
细胞定位	Endoplasmic reticulum,Mitochondrion
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-185 of human MSRB3 (NP_001026849.1).
序列	MSAFNLLHLVTKSQPVALRACGLPSGSCRDKKNCKVVFSSQELRKRLTPLQYHVTQEKGTESAFEGEYTHHKDPGIYKCV VCGTPLFKSETKFDSSGSGWPSFHDVINSEAITFTDDFSYGMHRVETSCSQCGAHLGHIFDDGPRPTGKRYCINSAALSFTP ADSSGTAEGGSGVASPAQADKAEL

## 靶点信息

研究背景	The protein encoded by this gene catalyzes the reduction of methionine sulfoxide to methionine. This enzyme acts as a monomer and requires zinc as a cofactor. Several transcript variants encoding two different isoforms have been found for this gene. One of the isoforms localizes to mitochondria while the other localizes to endoplasmic reticula.
------	--

基因ID	253827
基因名	MSRB3
Swiss	Q8IXL7
别名	MSRB3;DFNB74

## 产品验证



Western blot analysis of MSRB3 expressed in Mouse lung,Rat lung,Mouse testis using MSRB3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)