

— ABLYBIO, Help Your Research



UBIAD1 Rabbit pAb

货号: **AYP25374**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:100 - 1:500 IF/ICC: 1:50 - 1:200
理论分子量	19kDa/36kDa
实测分子量	90kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2
细胞定位	Cytoplasm,Endoplasmic reticulum membrane,Golgi apparatus membrane,Mitochondrion membrane,Multi-pass membrane protein,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 200 to the C-terminus of human UBIAD1 (NP_037451.1).
------	---

靶点信息

研究背景	This gene encodes a protein thought to be involved in cholesterol and phospholipid metabolism. Mutations in this gene are associated with Schnyder crystalline corneal dystrophy.
基因ID	29914
基因名	UBIAD1
Swiss	Q9Y5Z9 (https://www.uniprot.org/uniprotkb/Q9Y5Z9/entry)
别名	UBIAD1,SCCD,TERE1,UBIAD1 Rabbit pAb,Transitional epithelial response protein 1

产品验证



Western blot analysis of UBIAD1 expressed in HepG2 using UBIAD1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)