

Phospho-IRF3-S396 Rabbit pAb

货号: **AYP25472**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus , Homo sapiens , Sus scrofa IF: mmu
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	12kDa/16kDa/33kDa/47kDa/49kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,NIH/3T3
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	A synthetic phosphorylated peptide around S396 of human IRF3 (NP_001562.1).
序列	HISNS

靶点信息

研究背景	This gene encodes a member of the interferon regulatory transcription factor (IRF) family. The encoded protein is found in an inactive cytoplasmic form that upon serine/threonine phosphorylation forms a complex with CREBBP. This complex translocates to the nucleus and activates the transcription of interferons alpha and beta, as well as other interferon-induced genes. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	3661

基因名	IRF3
Swiss	Q14653
别名	IIAE7;IRF3

产品验证



Western blot analysis of Phospho-IRF3-S396 expressed in 293T,NIH/3T3 using Phospho-IRF3-S396 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn