

# HDAC3 (Phospho-Ser424) Antibody

货号: **AYP4159**

## 产品信息

|       |   |
|-------|---|
| 反应    | Human,Mouse,Rat   |
| 宿主    | Rabbit  |
| 克隆性   | Polyclonal  |
| 预测反应  |   |
| 应用    | WB IHC IF/ICC ELISA   |
| 推荐浓度  | <b>WB:</b> 1:500 - 1:2000<br><b>IHC:</b> 1:50 - 1:200<br><b>IF/ICC:</b> 1:50 - 1:200          |
| 理论分子量 | 48kDa/49kDa   |
| 实测分子量 |   |
| 形式    | Liquid  |
| 保存条件  | Store at -20°C. Avoid freeze / thaw cycles.<br>Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3. |
| 偶联物   | Unconjugated  |
| 阳性对照  | HeLa,MCF7,NIH/3T3,C6  |
| 细胞定位  | Cytoplasm,Nucleus,cytosol   |
| 纯化    | Affinity purification   |

## 抗原信息

|      |  |
|------|--|
| 抗原信息 | Synthesized peptide derived from Human HDAC3 (Phospho-Ser424). |
|------|--|

## 靶点信息

|      |   |
|------|---|
| 研究背景 | Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events . Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by this gene belongs to the histone deacetylase/acuc/apha family. It has histone deacetylase activity and represses transcription when tethered to a promoter. It may participate in the regulation of transcription through its binding with the zinc-finger transcription factor YY1. This protein can also down-regulate p53 function and thus modulate cell growth and apoptosis. This gene is regarded as a potential tumor suppressor gene. |
| 基因ID | 8841  |

|       |                       |
|-------|-----------------------|
| 基因名   | HDAC3                 |
| Swiss | O15379                |
| 别名    | HD3;RPD3;RPD3-2;HDAC3 |

产品验证

实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)