

FGFR4 (Phospho-Tyr642) Antibody

货号: **AYP4613**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB ELISA
推荐浓度	WB: 1:500 - 1:2000
理论分子量	64kDa/83kDa/87kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,BT-474,HT-29
细胞定位	Cell membrane,Cytoplasm,Endoplasmic reticulum,Endosome,Secreted,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息

抗原信息	Synthesized peptide derived from Human FGFR4 (Phospho-Tyr642).
------	--

靶点信息

研究背景	The protein encoded by this gene is a member of the fibroblast growth factor receptor family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. The genomic organization of this gene, compared to members 1-3, encompasses 18 exons rather than 19 or 20. Although alternative splicing has been observed, there is no evidence that the C-terminal half of the IgIII domain of this protein varies between three alternate forms, as indicated for members 1-3. This particular family member preferentially binds acidic fibroblast growth factor and, although its specific function is unknown, it is overexpressed in gynecological tumor samples, suggesting a role in breast and ovarian tumorigenesis.
基因ID	2264
基因名	FGFR4
Swiss	P22455
别名	FGFR4;CD334;JTK2;TKF

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn