

# RAD50 Antibody

货号: **AYP5704**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF ELISA
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF:</b> 1:50 - 1:200
理论分子量	138kDa/153kDa/154kDa
实测分子量	
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.75% BSA,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,K-562,U-937,Mouse testis,Mouse thymus,Rat testis
细胞定位	Chromosome,Nucleus,telomere
纯化	Affinity purification

## 抗原信息

抗原信息	Synthesized peptide derived from Human RAD50.
------	---

## 靶点信息

研究背景	The protein encoded by this gene is highly similar to <i>Saccharomyces cerevisiae</i> Rad50, a protein involved in DNA double-strand break repair. This protein forms a complex with MRE11 and NBS1. The protein complex binds to DNA and displays numerous enzymatic activities that are required for nonhomologous joining of DNA ends. This protein, cooperating with its partners, is important for DNA double-strand break repair, cell cycle checkpoint activation, telomere maintenance, and meiotic recombination. Knockout studies of the mouse homolog suggest this gene is essential for cell growth and viability. Mutations in this gene are the cause of Nijmegen breakage syndrome-like disorder.
基因ID	10111

基因名	RAD50
Swiss	Q92878
别名	RAD50;NBSLD;RAD502;hRad50

产品验证

实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)