

MAPK6 Rabbit pAb

货号: **B10342**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:200 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	82kDa
实测分子量	120kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,A549,LO2,BxPC-3,293T,Mouse brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 372-721 of human MAP K6 (NP_002739.1).
序列	NFDIDEVQLDPRALSDVTDEEEVQVDPKRYLDGDKREKYLEDPAFDTNYSTEPCWQYSDHHENKYCDLECSHTCNYKTRS SSYLDNLVWRESEVNHYEYEPKLIIDLSNWKEQSKEKSDKKGKSKCERNGLVKAQIALEEASQQLAGKEREKNQGFDFDSF IAGTIQLSSQHEPTDVVDKLNLDLNSSVSQLELKSLISKSVSQEKQEKGMANLAQLEALYQSSWDSQFVSGGEDCFFINQF CEVRKDEQVEKENTYTSYLDKFFSRKEDTEMLETEPVEDGKLGERGHEEGFLNNSGEFLFNKQLESIGIPQFHSPVGSPLK SIQATLTPSAMKSSPQIPHQTYSSILKHLN

靶点信息

研究背景	The protein encoded by this gene is a member of the Ser/Thr protein kinase family, and is most closely related to mitogen-activated protein kinases (MAP kinases). MAP kinases also known as extracellular signal-regulated kinases (ERKs), are activated through protein phosphorylation cascades and act as integration points for multiple biochemical signals. This kinase is localized in the nucleus, and has been reported to be activated in fibroblasts upon treatment with serum or phorbol esters.
基因ID	5597
基因名	MAPK6
Swiss	Q16659
别名	MAPK6;ERK3;HsT17250;PRKM6;p97MAPK

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn