

BMP2 Rabbit pAb

货号: B10585

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Oryctolagus cuniculus , Gallus gallus , Mus musculus , Homo sapiens , Broiler IF: Oryctolagus cuniculus , Homo sapiens IHC: Gallus gallus , Oryctolagus cuniculus , Homo sapiens , Mus musculus , Rattus norvegicus
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	44kDa
实测分子量	15KDa/26KDa/45KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HT-29,Mouse large intestine,Mouse stomach,Rat liver,HeLa,A-549,Rat spleen
细胞定位	Secreted
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 283-396 of human BMP 2 (NP_001191.1).
序列	QAKHKQRKRLKSSCKRHPLYVDFSDVGWNDWIVAPPGYHAFYCHGECPFPLADHLNSTNHAIVQTLVNSVNSKIPKACCV PTELSAISMPLYLDENEKVVLKNYQDMVVEGCGCR

靶点信息

研究背景	This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer, which plays a role in bone and cartilage development. Duplication of a regulatory region downstream of this gene causes a form of brachydactyly characterized by a malformed index finger and second toe in human patients.
基因ID	650
基因名	BMP2
Swiss	P12643
别名	BDA2;BMP2A;BMP2

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn