

TriMethyl-Histone H3-K27 Mouse mAb

货号: B11274

产品信息

反应	Human,Mouse,Rat
宿主	Mouse
克隆性	Monoclonal
预测反应	CHIP: Oryza sativa WB: Mus musculus , Sus scrofa , Homo sapiens ChIP: Oryza sativa IF: Mus musculus , Rattus norvegicus
应用	WB IHC IP CHIP
推荐浓度	DB: 1:500 - 1:2000 WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200 IP: 1:50 - 1:200 ChIP: 1:20 - 1:100
理论分子量	15kDa
实测分子量	17KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,NIH/3T3,C6,H3 protein
细胞定位	Chromosome, Nucleus
纯化	Affinity purification

抗原信息

抗原信息	A synthetic methylated peptide corresponding to residues surrounding K27 of human histone H3
序列	

研究背景	Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octa mer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent his tone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3.
基因ID	8290
基因名	HIST3H3
Swiss	Q16695
别名	H3.4;H3/g;H3FT;H3t;HIST3H3;Histone H3;HIST1H3A

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn