

VEGF Receptor 2 Rabbit pAb

货号: B11595

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	IHC: Rattus norvegicus , Mus musculus WB: Homo sapiens , Mus musculus , Gallus gallus
应用	WB IHC
推荐浓度	WB: 1:100 - 1:500 IHC: 1:50 - 1:200
理论分子量	75kDa/79kDa/151kDa
实测分子量	210KDa/230KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,Mouse heart,Rat lung
细胞定位	Cell junction,Cell membrane,Cytoplasm,Cytoplasmic vesicle,Early endosome,Endoplasmic reticulum,Nucleus,Secreted,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1147-1356 of human VEGF Receptor 2 (NP_002244.1).
序列	PSQRPTFSELVEHLGNLLQANAQQDGKDYIVLPISETLSMEEDSGLSLPTSPVSCMEEEEVCDPKFHYDNTAGISQYLQNS KRKSRPVSVKTFEDIPLEEPEVKVIPDDNQTDSGMVLASEELKTLEDRTKLSPSFGGMVPSKSRESVASEGSNQTSQYQS GYHSDDTDTTVYSSEEAELLKIEIGVQTGSTAQILQPDSGTTLSSPPV

靶点信息

研究背景	Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encode s one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival, migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin alphaVbeta3, T-cell protein tyrosine phosphatase, etc.. Mutations of this gene are implicated in infantile capillary hemangiomas.
基因ID	3791
基因名	KDR
Swiss	P35968
别名	CD309;FLK1;VEGFR;VEGFR2;VEGF Receptor 2;KDR

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn