

# Phospho-P90RSK-T359/S363 Rabbit pAb

货号: B11660

# 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens , Sus scrofa WB, IP: Mus musculus
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	72kDa/81kDa/82kDa/83kDa
实测分子量	83kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

# 抗原信息


抗原信息	A synthetic phosphorylated peptide around T359 & S363 of human P90RSK (NP_002944.2).
序列	TPKDS

#### 靶点信息

研究背景	This gene encodes a member of the RSK (ribosomal S6 kinase) family of serine/threonine kinases. This kinase contains 2 nonidentical kinase catalytic domains and phosphorylates various substrates, including members of the mitogen-activated kinase (MAPK) signalling pathway. The activity of this protein has been implicated in controlling cell growth and differentiation. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.
基因 <b>ID</b>	6195

基因名	RPS6KA1
Swiss	Q15418
别名	HU-1;MAPKAPK1A;RSK;RSK1;p90Rsk;RPS6KA1

# 产品验证



Western blot analysis of Phospho-P90RSK-T359/S363 expressed in A-431 using Phospho-P90RSK-T35 9/S363 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysat es/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Ki t. Exposure time: 120s.

# 实验步骤

访问官网浏览详情: www.ablybio.cn