

WNT3 Rabbit pAb

货号: **B12272**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus , Homo sapiens
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	39kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,K-562,SKOV3,SGC-7901
细胞定位	Secreted,extracellular matrix,extracellular space
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 166-355 of human WNT 3 (NP_110380.1).
序列	VLVSREFADARENRPDARSAMNKHNNEAGRTTILDHMHLKCKCHGLSGSCEVKTCWWAQPDFRAIGDFLKDKYDSASE MVVEKHRESRGWVETLRAKYSLFKPPTERDLVYYENSPNFCEPNPETGSFGTRDRTCNVTSHGIDGCDLLCCGRGHNTRT EKRKEKCHCIFHWCCYVSCQECIRIYDVHTCK

靶点信息

研究背景	The WNT gene family consists of structurally related genes which encode secreted signaling proteins. The se proteins have been implicated in oncogenesis and in several developmental processes, including regul ation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It encodes a protein which shows 98% amino acid identity to mouse Wnt3 protein, and 84% to human WNT 3A protein, another WNT gene product. The mouse studies show the requirement of Wnt3 in primary axis formation in the mouse. Studies of the gene expression suggest that this gene may play a key role in som e cases of human breast, rectal, lung, and gastric cancer through activation of the WNT-beta-catenin-TCF signaling pathway. This gene is clustered with WNT15, another family member, in the chromosome 17q2 1 region.
基因 ID	7473
基因名	WNT3
Swiss	P56703
别名	WNT3;INT4;TETAMS

产品验证



Western blot analysis of WNT3 expressed in A-549,K-562,SKOV3 using WNT3 Rabbit pAb at 1:1000. Se condary antibody: HRP Goat Anti-Rabbit lgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blockin g buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn