

CREBBP Rabbit pAb

货号**: B12576**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IHC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200
理论分子量	260kDa/265kDa
实测分子量	300KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NIH/3T3
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 200-300 of human CREBBP (NP_004 371.2).	
序列	QASQGQAQVMNGSLGAAGRGRGAGMPYPTPAMQGASSSVLAETLTQVSPQMTGHAGLNTAQAGGMAKMGITGNTSP FGQPFSQAGGQPMGATGVNPQLASK	

靶点信息

研究背景	This gene is ubiquitously expressed and is involved in the transcriptional coactivation of many different tr anscription factors. First isolated as a nuclear protein that binds to cAMP-response element binding protei n (CREB), this gene is now known to play critical roles in embryonic development, growth control, and ho meostasis by coupling chromatin remodeling to transcription factor recognition. The protein encoded by t his gene has intrinsic histone acetyltransferase activity and also acts as a scaffold to stabilize additional p rotein interactions with the transcription complex. This protein acetylates both histone and non-histone pr oteins. This protein shares regions of very high sequence similarity with protein p300 in its bromodomain, cysteine-histidine-rich regions, and histone acetyltransferase domain. Mutations in this gene cause Rubin stein-Taybi syndrome (RTS). Chromosomal translocations involving this gene have been associated with acute myeloid leukemia. Alternative splicing results in multiple transcript variants encoding different isofo rms.
基因ID	1387
基因名	CREBBP
Swiss	Q92793
别名	CREBBP;CBP;KAT3A;RSTS;RSTS1

产品验证



Western blot analysis of CREBBP expressed in NIH/3T3 using CREBBP Rabbit pAb at 1:1000. Secondary an tibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% n on-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn