

TNFSF10 Rabbit pAb

货号: B12898

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	IHC: HeLa cells WB: HeLa cells , Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	11kDa/32kDa
实测分子量	28KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	THP-1
细胞定位	Membrane,Single-pass type II membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 50-160 of human TNFSF 10 (NP_003801.1).	
序列	SKSGIACFLKEDDSYWDPNDEESMNSPCWQVKWQLRQLVRKMILRTSEETISTVQEKQQNISPLVRERGPQRVAAHITGT RGRSNTLSSPNSKNEKALGRKINSWESSRSG	

靶点信息

研究背景	The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand fam ily. This protein preferentially induces apoptosis in transformed and tumor cells, but does not appear to kill normal cells although it is expressed at a significant level in most normal tissues. This protein binds to several members of TNF receptor superfamily including TNFRSF10A/TRAILR1, TNFRSF10B/TRAILR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and possibly also to TNFRSF11B/OPG. The activity of this protein may be modulated by binding to the decoy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and TNFRSF11B/OPG that cannot induce apoptosis. The binding of this protein to its receptors has been shown to trigger the activation of MAPK8/JNK, caspase 8, and caspase 3. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
基因 ID	8743
基因名	TNFSF10
Swiss	P50591
别名	TNFSF10;APO2L;Apo-2L;CD253;TL2;TNLG6A;TRAIL

产品验证



Western blot analysis of TNFSF10 expressed in THP-1 using TNFSF10 Rabbit pAb at 1:1000. Secondary ant ibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn