

ANK3 Rabbit pAb

货号: **B13115**

产品信息

反应	Human, Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens IF: Homo sapiens
应用	IF/ICC
推荐浓度	IF/ICC: 1:50 - 1:200
理论分子量	480kDa
实测分子量	480kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	
细胞定位	basal plasma membrane,basolateral plasma membrane,cytosol,dendrite,endoplasmic reticulum,Golgi ap paratus,lateral plasma membrane,lysosome,neuromuscular junction,neuron projection,plasma membrane ,postsynaptic membrane,spectrin-associated cytoskeleton,T-tubule,Z disc
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 833-977 of human ANK 3 (NP_066267.2).
序列	KMNVPETMNEVLDMSDDEVRKANAPEMLSDGEYISDVEEGEDAMTGDTDKYLGPQDLKELGDDSLPAEGYMGFSLGA RSASLRSFSSDRSYTLNRSSYARDSMMIEELLVPSKEQHLTFTREFDSDSLRHYSWAADTLDNVNLVS

靶点信息

Ankyrins are a family of proteins that are believed to link the integral membrane proteins to the underlyin g spectrin-actin cytoskeleton and play key roles in activities such as cell motility, activation, proliferation, contact, and the maintenance of specialized membrane domains. Multiple isoforms of ankyrin with differe nt affinities for various target proteins are expressed in a tissue-specific, developmentally regulated man ner. Most ankyrins are typically composed of three structural domains: an amino-terminal domain contain ing multiple ankyrin repeats; a central region with a highly conserved spectrin binding domain; and a car boxy-terminal regulatory domain which is the least conserved and subject to variation. Ankyrin 3 is an im munologically distinct gene product from ankyrins 1 and 2, and was originally found at the axonal initial s egment and nodes of Ranvier of neurons in the central and peripheral nervous systems. Multiple transcrip t variants encoding different isoforms have been found for this gene.
288
ANK3
Q12955
MRT37; ANKYRIN-G

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn