

DUSP3 Rabbit pAb

货号: **B13143**

产品信息

反应	Mouse,Rat
IXEL	Mouse, Nat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus, Homo sapiens
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	16kDa/20kDa
实测分子量	20kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse stomach,Rat kidney
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-185 of human DUSP3 (NP_004081.1).
序列	MSGSFELSVQDLNDLLSDGSGCYSLPSQPCNEVTPRIYVGNASVAQDIPKLQKLGITHVLNAAEGRSFMHVNTNANFYKD SGITYLGIKANDTQEFNLSAYFERAADFIDQALAQKNGRVLVHCREGYSRSPTLVIAYLMMRQKMDVKSALSIVRQNREIGP NDGFLAQLCQLNDRLAKEGKLKP

靶点信息

研究背景	The protein encoded by this gene is a member of the dual specificity protein phosphatase subfamily. Thes e phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine a nd phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which are associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate s pecificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene maps in a region that contains the BRCA1 locus which confers susceptibility to breast and ovarian cancer. Although DUSP3 is expressed in both breast and ovarian tissues, mutation screening in breast cancer pedigrees and in sporadic tumors was negative, leading to the conclusion that this gene is not BRCA1.
基因ID	1845
基因名	DUSP3
Swiss	P51452
别名	DUSP3;VHR

产品验证



Western blot analysis of DUSP3 expressed in Mouse stomach,Rat kidney using DUSP3 Rabbit pAb at 1:100 0. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocki ng buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn