## **EPHA4** Rabbit pAb



## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus IP: Mus musculus
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	104kDa/109kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain, Mouse lung, Rat brain
细胞定位	Cell junction,Cell membrane,Cell projection,Early endosome,Single-pass type I membrane protein,axon,d endrite,postsynaptic cell membrane,postsynaptic density,synapse
纯化	Affinity purification

## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 20-100 of human EPHA4 (NP_004429.1).	
序列	VTGSRVYPANEVTLLDSRSVQGELGWIASPLEGGWEEVSIMDEKNTPIRTYQVCNVMEPSQNNWLRTDWITREGAQRVYI E	

靶点信息



This gene belongs to the ephrin receptor subfamily of the protein-tyrosine kinase family. EPH and EPH-rel ated receptors have been implicated in mediating developmental events, particularly in the nervous syst em. Receptors in the EPH subfamily typically have a single kinase domain and an extracellular region con taining a Cys-rich domain and 2 fibronectin type III repeats. The ephrin receptors are divided into 2 group s based on the similarity of their extracellular domain sequences and their affinities for binding ephrin-A a nd ephrin-B ligands. Multiple transcript variants encoding different isoforms have been found for this gen e.
2043
EPHA4
P54764
EPHA4;HEK8;SEK;TYRO1

产品验证

实验步骤

访问官网浏览详情: www.ablybio.cn