

HABP2 Rabbit pAb

货号: B13382

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	IHC: Mus musculus
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100
理论分子量	59kDa/62kDa
实测分子量	27kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,Mouse serum
细胞定位	Secreted
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 24-313 of human HABP2 (NP_004123.1).
序列	FSLMSLLESLDAPDWTPDQYDYSYEDYNQEENTSSLTHTAENPDWYYTEDQADPCQPNPCEHGGDCLVHGSTFTCSCLA PFSGNKCQKVQNTCKDNPCGRGQCLITQSPYYRCVCKHPYTGPPSCSQVVPVCRPNPCQNGATCSRHKRRSKFTCACPD QFKGKFCEIGSDDCYVGDGYSYRGKMNRVTNQHACLYWNSHLLQLQENYNMFMEDAETHGIGEHNFCRNPDADEKPMC FIKVTNDKVKWEYCDVSACSAQDVAYPEESPTEPSTKLPGFDSCGKTEIAERKIKR

靶点信息

研究背景	This gene encodes a member of the peptidase S1 family of serine proteases. The encoded preproprotein is secreted by hepatocytes and proteolytically processed to generate heavy and light chains that form the mature heterodimer. Further autoproteolysis leads to smaller, inactive peptides. This extracellular protease binds hyaluronic acid and may play a role in the coagulation and fibrinolysis systems. Mutations in this gene are associated with nonmedullary thyroid cancer and susceptibility to venous thromboembolism. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed.
基因ID	3026
基因名	HABP2
Swiss	Q14520
别名	HABP2;FSAP;HABP;HGFAL;NMTC5;PHBP

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn