

glucose-6-phosphate isomerase Rabbit pAb

货号: B14040

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	63kDa/64kDa
实测分子量	56kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60,BT-474,MCF7,HeLa,Mouse kidney,Mouse heart,Mouse brain,Rat brain,Rat heart
细胞定位	Cytoplasm,Secreted
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-280 of human glucose -6-phosphate isomerase (NP_000166.2).
序列	MAALTRDPQFQKLQQWYREHRSELNLRRLFDANKDRFNHFSLTLNTNHGHILVDYSKNLVTEDVMRMLVDLAKSRGVEA ARERMFNGEKINYTEGRAVLHVALRNRSNTPILVDGKDVMPEVNKVLDKMKSFCQRVRSGDWKGYTGKTITDVINIGIGG SDLGPLMVTEALKPYSSGGPRVWYVSNIDGTHIAKTLAQLNPESSLFIIASKTFTTQETITNAETAKEWFLQAAKDPSAVAK HFVALSTNTTKVKEFGIDPQNMFEFWDWVGGRYSLWSAI

靶点信息

研究背景	This gene encodes a member of the glucose phosphate isomerase protein family. The encoded protein ha s been identified as a moonlighting protein based on its ability to perform mechanistically distinct functions. In the cytoplasm, the gene product functions as a glycolytic enzyme (glucose-6-phosphate isomerase) that interconverts glucose-6-phosphate and fructose-6-phosphate. Extracellularly, the encoded protein (al so referred to as neuroleukin) functions as a neurotrophic factor that promotes survival of skeletal motor neurons and sensory neurons, and as a lymphokine that induces immunoglobulin secretion. The encoded protein is also referred to as autocrine motility factor based on an additional function as a tumor-secreted cytokine and angiogenic factor. Defects in this gene are the cause of nonspherocytic hemolytic anemia a nd a severe enzyme deficiency can be associated with hydrops fetalis, immediate neonatal death and ne urological impairment. Alternative splicing results in multiple transcript variants.
基因ID	2821
基因名	GPI
Swiss	P06744
别名	GPI;AMF;GNPI;NLK;PGI;PHI;SA-36;SA36

产品验证



Western blot analysis of glucose-6-phosphate isomerase expressed in Mouse kidney,Rat brain,H L-60 using glucose-6-phosphate isomerase Rabbit pAb at 1:1000. Secondary antibody: HRP Goa t Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn