

# TRIB2 Rabbit pAb

货号: **B14166** 

# 产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Mus musculus
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	38kDa
实测分子量	49kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	K-562,293T,Raji,Mouse kidney
细胞定位	Cytoplasm,cytoskeleton
纯化	Affinity purification


### 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-120 of human TRIB2 ( $NP\_067675.1$ ).
序列	MNIHRSTPITIARYGRSRNKTQDFEELSSIRSAEPSQSFSPNLGSPSPPETPNLSHCVSCIGKYLLLEPLEGDHVFRAVHLHS GEELVCKVFDISCYQESLAPCFCLSAHSNINQITEII

靶点信息

研究背景	This gene encodes one of three members of the Tribbles family. The Tribbles members share a Trb domai n, which is homologous to protein serine-threonine kinases, but lacks the active site lysine and probably I acks a catalytic function. The Tribbles proteins interact and modulate the activity of signal transduction p athways in a number of physiological and pathological processes. This Tribbles member induces apoptosi s of cells mainly of the hematopoietic origin. It has been identified as a protein up-regulated by inflammat ory stimuli in myeloid (THP-1) cells, and also as an oncogene that inactivates the transcription factor C/EB Palpha (CCAAT/enhancer-binding protein alpha) and causes acute myelogenous leukemia. Alternatively s pliced transcript variants have been found for this gene.
基因ID	28951
基因名	TRIB2
Swiss	Q92519
别名	TRIB2;C5FW;GS3955;TRB2

# 产品验证



Western blot analysis of TRIB2 expressed in Mouse kidney,K-562,293T using TRIB2 Rabbit pAb at 1:100 0. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Bloc king buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

# 实验步骤

访问官网浏览详情: www.ablybio.cn