

TCF4 Rabbit pAb

货号: B14371

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Homo sapiens
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	48-71kDa
实测分子量	71kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HCT116,U-251MG,Mouse brain,Mouse heart,Rat brain
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 400-560 of human TCF4 (P15884).
序列	LRNHAVGPSTAMPGGHGDMDHGIIGPSHNGAMGGLGSGYGTGLLSANRHSLMVGTHREDGVALRGSHSLLPNQVPVPQLPVQSATSPDLNPPQDPYRGMPPGLQGQSVSSGSSEIKSDDEGDENLQDTKSSDDKKLDDDKKDIKSITSNNDDDLTP EQKAE

靶点信息

研究背景	This gene encodes transcription factor 4, a basic helix-loop-helix transcription factor. The encoded protein recognizes an Ephrussi-box ('E-box') binding site ('CANNTG') - a motif first identified in immunoglobulin enhancers. This gene is broadly expressed, and may play an important role in nervous system development. Defects in this gene are a cause of Pitt-Hopkins syndrome. In addition, an intronic CTG repeat normally numbering 10-37 repeat units can expand to >50 repeat units and cause Fuchs endothelial corneal dystrophy. Multiple alternatively spliced transcript variants that encode different proteins have been described.
基因ID	6925
基因名	TCF4
Swiss	P15884
别名	TCF4;E2-2;FECD3;ITF-2;ITF2;PTHS;SEF-2;SEF2;SEF2-1;SEF2-1A;SEF2-1B;SEF2-1D;TCF-4;bHLHb19;TCF4

产品验证



实验步骤

访问官网浏览详情: www.ablybio.cn