

Phospho-MLKL-S358 Rabbit pAb

货号: B14810

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	WB: Gallus gallus
应用	WB
推荐浓度	WB: 1:100 - 1:500
理论分子量	53kDa/54kDa
实测分子量	54KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa
细胞定位	Cell membrane,Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	A synthetic phosphorylated peptide around S358 of human MLKL (NP_689862.1).
序列	QTSMS

靶点信息

研究背景	This gene belongs to the protein kinase superfamily. The encoded protein contains a protein kinase-like d omain; however, is thought to be inactive because it lacks several residues required for activity. This prot ein plays a critical role in tumor necrosis factor (TNF)-induced necroptosis, a programmed cell death proc ess, via interaction with receptor-interacting protein 3 (RIP3), which is a key signaling molecule in necropt osis pathway. Inhibitor studies and knockdown of this gene inhibited TNF-induced necrosis. High levels of this protein and RIP3 are associated with inflammatory bowel disease in children. Alternatively spliced tra nscript variants have been described for this gene.
基因 ID	197259

基因名	MLKL
Swiss	Q8NB16
别名	MLKL; hMLKL; mixed lineage kinase domain-like protein

产品验证



Western blot analysis of Phospho-MLKL-S358 expressed in HeLa using Phospho-MLKL-S358 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per I ane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn