

# Phospho-mTOR-S2481 Rabbit pAb

货号: B15057

产品信息

反应	Human,Mouse,
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	288kDa
实测分子量	289kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	C2C12
细胞定位	Cytoplasm,Cytoplasmic side,Endoplasmic reticulum membrane,Golgi apparatus membrane,Lysosome,Mitochondrion outer membrane,Nucleus,PML body,Peripheral membrane protein
纯化	Affinity purification

抗原信息


抗原信息	A synthetic phosphorylated peptide around S2481 of human mTOR (NP_004949.1).
序列	IHSFI

靶点信息

研究背景	The protein encoded by this gene belongs to a family of phosphatidylinositol kinase-related kinases. These kinases mediate cellular responses to stresses such as DNA damage and nutrient deprivation. This protein acts as the target for the cell-cycle arrest and immunosuppressive effects of the FKBP12-rapamycin complex. The ANGPTL7 gene is located in an intron of this gene.
基因ID	2475

基因名	MTOR
Swiss	P42345
别名	FRAP;FRAP1;FRAP2;RAFT1;RAPT1;SKS;mTOR;MTOR

产品验证



Western blot analysis of Phospho-mTOR-S2481 expressed in C2C12 using Phospho-mTOR-S2481 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)