

Phospho-ZAP70-Y493 Rabbit pAb

货号: B15063

产品信息

| Human,Mouse,Rat |
|---|
| Rabbit |
| Polyclonal |
| |
| WB IHC IF/ICC |
| WB: 1:500 - 1:1000 IHC: 1:50 - 1:100 IF/ICC: 1:50 - 1:200 |
| 35kDa/55kDa/69kDa |
| 70KDa |
| Liquid |
| Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| Unconjugated |
| Jurkat |
| Cell membrane,Cytoplasm,Peripheral membrane protein |
| Affinity purification |
| |

抗原信息


| 抗原信息 | A synthetic phosphorylated peptide around Y493 of human ZAP70 (NP_001070.2). |
|------|--|
| 序列 | SYYTA |

靶点信息

| 研究背景 | This gene encodes an enzyme belonging to the protein tyrosine kinase family, and it plays a role in T-cell development and lymphocyte activation. This enzyme, which is phosphorylated on tyrosine residues upo n T-cell antigen receptor (TCR) stimulation, functions in the initial step of TCR-mediated signal transducti on in combination with the Src family kinases, Lck and Fyn. This enzyme is also essential for thymocyte d evelopment. Mutations in this gene cause selective T-cell defect, a severe combined immunodeficiency di sease characterized by a selective absence of CD8-positive T-cells. Two transcript variants that encode di fferent isoforms have been found for this gene. |
|------|---|
|------|---|

| 基因ID | 7535 |
|-------|--|
| 基因名 | ZAP70 |
| Swiss | P43403 |
| 别名 | ZAP70;ADMIO2;IMD48;SRK;STCD;STD;TZK;ZAP-70 |

产品验证



Western blot analysis of Phospho-ZAP70-Y493 expressed in Jurkat using Phospho-ZAP70-Y493 Rabbit p Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 12 0s.

实验步骤

访问官网浏览详情: www.ablybio.cn