

KCNAB2 Rabbit pAb

货号**: B15127**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IF/ICC: 1:50 - 1:200
理论分子量	33kDa/39kDa/41kDa/43kDa/46kDa
实测分子量	45KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse eye,Mouse lung,Rat lung
细胞定位	cytoskeleton,cytosol,pinceau fiber,plasma membrane,synapse
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-40 of human KCNAB2 (NP_003627.1).	
序列	MYPESTTGSPARLSLRQTGSPGMIYSTRYGSPKRQLQFYR	

靶点信息

研究背景	Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels fr om both functional and structural standpoints. Their diverse functions include regulating neurotransmitte r release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth musc le contraction, and cell volume. Four sequence-related potassium channel genes - shaker, shaw, shab, an d shal - have been identified in Drosophila, and each has been shown to have human homolog(s). This ge ne encodes a member of the potassium channel, voltage-gated, shaker-related subfamily. This member is one of the beta subunits, which are auxiliary proteins associating with functional Kv-alpha subunits. This member alters functional properties of the KCNA4 gene product. Alternative splicing of this gene results i n multiple transcript variants encoding distinct isoforms.
基因ID	8514
基因名	KCNAB2
Swiss	Q13303
别名	KCNAB2;AKR6A5;HKvbeta2;HKvbeta2.1;HKvbeta2.2;KCNA2B;KV-BETA-2

产品验证



Western blot analysis of KCNAB2 expressed in Mouse eye, Mouse lung, Rat lung using KCNAB2 Rabbit p Ab at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 12 0s.

实验步骤

访问官网浏览详情: www.ablybio.cn