

PNP Rabbit pAb

货号: **B15209**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IP
推荐浓度	WB: 1:500 - 1:2000 IP: 1:50 - 1:100
理论分子量	32kDa
实测分子量	30kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SKOV3,HL-60,H460,MCF-7,Mouse liver,Mouse kidney,Mouse fat,Mouse brain,Mouse lung
细胞定位	Cytoplasm,cytoskeleton
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-289 of human PNP (N P_000261.2).
序列	MENGYTYEDYKNTAEWLLSHTKHRPQVAICGSGLGGLTDKLTQAQIFDYGEIPNFRSTVPGHAGRLVFGFLNGRACVM MQGRFHMYEGYPLWKVTFPVRVHLLGVDLVTNAAGGLNPKFEVGDIMLIRDHINLPGFSGQNPLRGPNDERFGDRF PAMSDAYDRTMRQRALSTWKQMGEQRELQEGTYVMVAGPSFETVAECRVLQKLGADAVGMSTVPEVIVARHCGLRVFG FSLITNKVIMDYESLEKANHEEVLAAGKQAAQKLEQFVSILMASIPLPKAS

靶点信息

研究背景	This gene encodes an enzyme which reversibly catalyzes the phosphorolysis of purine nucleosides. The enzyme is trimeric, containing three identical subunits. Mutations which result in nucleoside phosphorylase deficiency result in defective T-cell (cell-mediated) immunity but can also affect B-cell immunity and antibody responses. Neurologic disorders may also be apparent in patients with immune defects. A known polymorphism at aa position 51 that does not affect enzyme activity has been described. A pseudogene has been identified on chromosome 2.
基因ID	4860
基因名	PNP
Swiss	P00491
别名	PNP;NP;PRO1837;PUNP

产品验证



Western blot analysis of PNP expressed in Mouse liver, SKOV3, HL-60 using PNP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn