

# ASGR2 Rabbit pAb

货号: **B15225**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	32kDa/35kDa
实测分子量	41kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2
细胞定位	Membrane,Single-pass type II membrane protein
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 58-287 of human ASGR 2 (NP_550435.1).
序列	TGSQSAQLQAE LRSLKEAFSNFSSSTL TEVQAISTHGG SVGDKITSLGAKLEKQQQDLKADHDALLFHLKHFPV DLR FVA CQMELLHSNGSQRTCCPVN WVEHQGSCYWFSHSGKAWAEAEKYCQLENAHLV VINSWEEQKFIVQHTNPFNTWIGLTD SDGSWKWVDGTDYRHNYKNWAVTQPDNWHGHELGGSEDCVEVQPDGRWNDDFCLQVYRWVCEKRRNATGEVA

## 靶点信息

研究背景	This gene encodes a subunit of the asialoglycoprotein receptor. This receptor is a transmembrane protein that plays a critical role in serum glycoprotein homeostasis by mediating the endocytosis and lysosomal degradation of glycoproteins with exposed terminal galactose or N-acetylgalactosamine residues. The asialoglycoprotein receptor may facilitate hepatic infection by multiple viruses including hepatitis B, and is also a target for liver-specific drug delivery. The asialoglycoprotein receptor is a hetero-oligomeric protein composed of major and minor subunits, which are encoded by different genes. The protein encoded by this gene is the less abundant minor subunit. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
基因ID	433
基因名	ASGR2
Swiss	P07307
别名	ASGR2;ASGP-R2;ASGPR2;CLEC4H2;HBXBP;HL-2

## 产品验证



Western blot analysis of ASGR2 expressed in HepG2 using ASGR2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)