

TSPYL2 Rabbit pAb

货号: B15555

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:2000
理论分子量	79kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,HeLa,Mouse brain,Mouse testis,Rat brain
细胞定位	Cytoplasm,Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 240-460 of human TSPY L2 (NP_071400.1).
序列	LKRKFIQMRRPFLERRDLIIQHIPGFVWKAFLNHPRISILINRRDEIDFRYLTNLQVQDLRHISMGYKMKLYFQTNPYFTNMVI VKEFQRNRSGRVLVSHSTPIRWHRGQEPQARRHGNQDASHSFFSWFSNHSLEADRIAIEIKNDLWVNPLRYLRRERGSRI KRKKQEMKKRKTRGRCEVVIMEDAPDYYAVEDIFSEISDIDETIHDIKISDFMETTD

靶点信息

研究背景	This gene encodes a member of the testis-specific protein Y-encoded, TSPY-like/SET/nucleosome assembly protein-1 superfamily. The encoded protein is localized to the nucleolus where it functions in chromatin remodeling and as an inhibitor of cell-cycle progression. This protein may play a role in the suppression of tumor growth.
基因ID	64061

基因名	TSPYL2
Swiss	Q9H2G4
别名	TSPYL2;CDA1;CINAP;CTCL;DENTT;HRIHFB2216;NP79;SE204;TSPX

产品验证



Western blot analysis of TSPYL2 expressed in Mouse brain,Rat brain,LO2 using TSPYL2 Rabbit pAb at 1: 1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn