

FBXW5 Rabbit pAb

货号: **B15810**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:1000
理论分子量	42kDa/63kDa
实测分子量	72kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549
细胞定位	Cytoplasm
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 184-566 of human FBX W5 (NP_061871.1).
序列	VRNKPYDVFGCWLTETSLISGNLHRIGDITSCSVLWLNNAFQDVESENVNVVKRLFKIQNLNASTVRTVMVADCSRFDSP DLLLEAGDPATSPCRIFDLGSDNEEVVAGPAPAHAKEGLRHFLDRVLEGRAQPQLSERMLETKVAELLAQGHTKPPERSAT GAKSKYLIFTTGCLTYSPHQIGIKQILPHQMTTAGPVLGEGRGSDAFFDALDHVIDIHGHIIGMGLSPDNRYLYVNSRAWPN GAVVADPMQPPPIAEEIDLLVFDLKTMREVRRALRAHRAYTPNDECFFIFLDVSRDFVASGAEDRHGYIWDRHYNICLARLR HEDVVNSVVFSPQEQELLLTASDDATIKAWRSPRTMRVLQAPRPRPRTFFSWLASQRR

靶点信息

研究背景	This gene encodes a member of the F-box protein family, members of which are characterized by an appr oximately 40 amino acid motif, the F-box. The F-box proteins constitute one of the four subunits of ubiqui tin protein ligase complex called SCFs (SKP1-cullin-F-box), which function in phosphorylation-dependent u biquitination. The F-box proteins are divided into three classes: Fbws containing WD-40 domains, Fbls co ntaining leucine-rich repeats, and Fbxs containing either different protein-protein interaction modules or no recognizable motifs. The protein encoded by this gene contains WD-40 domains, in addition to an F-bo x motif, so it belongs to the Fbw class. Alternatively spliced transcript variants encoding distinct isoforms have been identified for this gene, however, they were found to be nonsense-mediated mRNA decay (NM D) candidates, hence not represented.
基因 ID	54461
基因名	FBXW5
Swiss	Q969U6
别名	FBXW5;Fbw5

产品验证



Western blot analysis of FBXW5 expressed in A-549 using FBXW5 Rabbit pAb at 1:1000. Secondary antibo dy: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-f at dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn