

PDGFRL Rabbit pAb

货号: B15838

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:200 - 1:2000
理论分子量	41kDa
实测分子量	42kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NCI-H125,Mouse brain
细胞定位	Secreted
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 15-205 of human PDGF RL (NP_006198.1).
序列	ALEDVTGQHLPKNKRPKEPGENRIKPTNKKVKPKIPKMKDRDSANSAPKTQSIMMQVLDKGRFQKPAATLSLLAGQTVEL RCKGSRIGWSYPAYLDTFKDSRLSVKQNERYGQLTLVNSTSADTGEFSCWVQLCSGYICRKDEAKTGSTYIFFTEKGELFV PSPSYFDVVYLNPDQRQAVVPCRVTVLSAKV

靶点信息

研究背景	This gene encodes a protein with significant sequence similarity to the ligand binding domain of platelet-derived growth factor receptor beta. Mutations in this gene, or deletion of a chromosomal segment containing this gene, are associated with sporadic hepatocellular carcinomas, colorectal cancers, and non-small cell lung cancers. This suggests this gene product may function as a tumor suppressor.
基因ID	5157

基因名	PDGFRL
Swiss	Q15198
别名	PDGFRL;PDGRL;PRLTS

产品验证



Western blot analysis of PDGFRL expressed in NCI-H125,Mouse brain using PDGFRL Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn