

CYP46A1 Rabbit pAb

货号: **B15930**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:100
理论分子量	38kDa/45kDa/56kDa
实测分子量	57kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,U-251MG,MCF7,Mouse liver,Mouse brain,Rat liver
细胞定位	Endoplasmic reticulum membrane,Microsome membrane,Single-pass membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 24-280 of human CYP46 A1 (NP_006659.1).
序列	HRARSRYEHIPGPPRPSFLLGHLPCFWKKDEVGGRVLQDVFLDWAKKYGPVVRVNVFHKTSVIVTSPESVKKFLMSTKYN KDSKMYRALQTVFGERLFGQGLVSECN YERWHKQRRVIDLAFSRSSLVSLMETFNEKAEQLVEILEAKADGQTPVSMQD MLTYTAMDILAKAAFGMETSMLLGAQKPLSQAVKLMLEGITASRNTLAKFLPGKRKQLREVRESIRFLRQVGRDWWVQRRR EALKRGEEVPADILTQIL

靶点信息

研究背景	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This endoplasmic reticulum protein is expressed in the brain, where it converts cholesterol to 24S-hydroxycholesterol. While cholesterol cannot pass the blood-brain barrier, 24S-hydroxycholesterol can be secreted in the brain into the circulation to be returned to the liver for catabolism.
基因ID	10858
基因名	CYP46A1
Swiss	Q9Y6A2
别名	CYP46A1;CP46;CYP46

产品验证



Western blot analysis of CYP46A1 expressed in Mouse liver,Rat liver,U-87MG using CYP46A1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

实验步骤

访问官网浏览详情: www.ablybio.cn