

FANCE Rabbit pAb

货号: B15996

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	58kDa
实测分子量	80kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse thymus
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-255 of human FANCE (NP_068741.1).
序列	MATPDAGLPGAEGVEPAPWAQLEAPARLLLQALQAGPEGARRGLGVRLALGSRGWEPFDWGRLLAEALCREEPVVQGPD GRLELKPLLLRPRICQRNLMSSLMAVRPSLPESGLLSVLQIAQQDLAPPDAWLRALGELLRRDLGVGTSMEGASPLSERC QRQLQSLCRGLGLGRRRKSPQADPEEEENRDSQQPGKRRKDSEEEAASPEGKRPKRLRCWEEEEDHEKERPEHKSL ESLADGGASASPIKDQP

靶点信息

研究背景	The Fanconi anemia complementation group (FANC) currently includes FANCA, FANCB, FANCC, FANCD1 (also called BRCA2), FANCD2, FANCE, FANCF, FANCG, FANCI, FANCJ (also called BRIP1), FANCL, FANCM and FANCN (also called PALB2). The previously defined group FANCH is the same as FANCA. Fanconi anemia is a genetically heterogeneous recessive disorder characterized by cytogenetic instability, hypersensitivity to DNA crosslinking agents, increased chromosomal breakage, and defective DNA repair. The members of the Fanconi anemia complementation group do not share sequence similarity; they are related by their assembly into a common nuclear protein complex. This gene encodes the protein for complementation group E.
基因ID	2178
基因名	FANCE
Swiss	Q9HB96
别名	FANCE;FACE;FAE

产品验证



Western blot analysis of FANCE expressed in Mouse thymus using FANCE Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn