

# **ULBP2** Rabbit pAb

货号: **B16051** 

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:100 - 1:500
理论分子量	27kDa
实测分子量	35KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	THP-1
细胞定位	Cell membrane,GPI-anchor,Lipid-anchor,Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 26-216 of human ULBP2 (NP_079493.1).
序列	GRADPHSLCYDITVIPKFRPGPRWCAVQGQVDEKTFLHYDCGNKTVTPVSPLGKKLNVTTAWKAQNPVLREVVDILTEQL RDIQLENYTPKEPLTLQARMSCEQKAEGHSSGSWQFSFDGQIFLLFDSEKRMWTTVHPGARKMKEKWENDKVVAMSFH YFSMGDCIGWLEDFLMGMDSTLEPSAGAPLAMS

### 靶点信息

研究背景	This gene encodes a major histocompatibility complex (MHC) class I-related molecule that binds to the N KG2D receptor on natural killer (NK) cells to trigger release of multiple cytokines and chemokines that in t urn contribute to the recruitment and activation of NK cells. The encoded protein undergoes further proce ssing to generate the mature protein that is either anchored to membrane via a glycosylphosphatidylinos itol moiety, or secreted. Many malignant cells secrete the encoded protein to evade immunosurveillance
	by NK cells. This gene is located in a cluster of multiple MHC class I-related genes on chromosome 6.

基因ID	80328
基因名	ULBP2
Swiss	Q9BZM5
别名	ULBP2;ALCAN-alpha;N2DL2;NKG2DL2;RAET1H

## 产品验证



Western blot analysis of ULBP2 expressed in THP-1 using ULBP2 Rabbit pAb at 1:1000. Secondary antibod y: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn