

ABCC6 Rabbit pAb

货号: B16088

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	10kDa/95kDa/164kDa
实测分子量	164kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	mouse liver, rat liver
细胞定位	Basolateral cell membrane, Endoplasmic reticulum membrane, Multi-pass membrane protein, Single-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 830-940 of human ABCC6 (NP_001162.4).
序列	AIAEMGSYQELLQRKGALVCLLDQARQPGDRGEGETEPGTSTKDPRTSAGRPELRRERSIKSVPEKDRTTSEAQTEVPL DDPDRAWPAGKDSIQYGRVKATVHLAYLR

靶点信息

研究背景	The protein encoded by this gene is a member of the superfamily of ATP-binding cassette (ABC) transporters. ABC proteins transport various molecules across extra- and intra-cellular membranes. ABC genes are divided into seven distinct subfamilies (ABC1, MDR/TAP, MRP, ALD, OABP, GCN20, White). The encoded protein, a member of the MRP subfamily, is involved in multi-drug resistance. Mutations in this gene cause pseudoxanthoma elasticum. Alternatively spliced transcript variants that encode different proteins have been described for this gene.
------	--

基因ID	368
基因名	ABCC6
Swiss	O95255
别名	ABCC6;ABC34;ARA;EST349056;GACI2;MLP1;MOAT-E;MOATE;MRP6;PXE;PXE1;URG7

产品验证



Western blot analysis of ABCC6 expressed in mouse liver, rat liver using ABCC6 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn