

PTS Rabbit pAb

货号: **B16792**

产品信息

Human,Mouse,Rat
Rabbit
Polyclonal
WB IF/ICC
WB: 1:500 - 1:2000 IF/ICC: 1:10 - 1:100
16kDa
16kDa
Liquid
Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
Unconjugated
HeLa,U-251MG,Mouse liver,Mouse kidney
cytoplasm,cytosol,mitochondrion
Affinity purification
R P \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-145 of human PTS (NP _000308.1).
序列	MSTEGGGRRCQAQVSRRISFSASHRLYSKFLSDEENLKLFGKCNNPNGHGHNYKVVVTVHGEIDPATGMVMNLADLKKY MEEAIMQPLDHKNLDMDVPYFADVVSTTENVAVYIWDNLQKVLPVGVLYKVKVYETDNNIVVYKGE

靶点信息

研究背景 The enzyme encoded by this gene catalyzes the elimination of inorganic triphosphate from dihydroneo rin triphosphate, which is the second and irreversible step in the biosynthesis of tetrahydrobiopterin from GTP. Tetrahydrobiopterin, also known as BH(4), is an essential cofactor and regulator of various enzymes activities, including enzymes involved in serotonin biosynthesis and NO synthase activity. Mutations in significant synthesis are result in hyperphenylalaninemia.

基因ID	5805
基因名	PTS
Swiss	Q03393
别名	PTS;PTPS

产品验证



Western blot analysis of PTS expressed in Mouse liver,HeLa,U-251MG using PTS Rabbit pAb at 1:1000. S econdary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blockin g buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn