

# **AZU1 Rabbit pAb**

货号: **B16847** 

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	26kDa
实测分子量	35kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2
细胞定位	Cytoplasmic granule
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 27-251 of human AZU1 (NP_001691.1).
序列	IVGGRKARPRQFPFLASIQNQGRHFCGGALIHARFVMTAASCFQSQNPGVSTVVLGAYDLRRRERQSRQTFSISSMSENG YDPQQNLNDLMLLQLDREANLTSSVTILPLPLQNATVEAGTRCQVAGWGSQRSGGRLSRFPRFVNVTVTPEDQCRPNNV CTGVLTRRGGICNGDGGTPLVCEGLAHGVASFSLGPCGRGPDFFTRVALFRDWIDGVLNNPGPGPA

靶点信息

研究背景	Azurophil granules, specialized lysosomes of the neutrophil, contain at least 10 proteins implicated in the killing of microorganisms. This gene encodes a preproprotein that is proteolytically processed to generate a mature azurophil granule antibiotic protein, with monocyte chemotactic and antimicrobial activity. It is also an important multifunctional inflammatory mediator. This encoded protein is a member of the serine protease gene family but it is not a serine proteinase, because the active site serine and histidine residue s are replaced. The genes encoding this protein, neutrophil elastase 2, and proteinase 3 are in a cluster I ocated at chromosome 19pter. All 3 genes are expressed coordinately and their protein products are pac kaged together into azurophil granules during neutrophil differentiation.
基因ID	566
基因名	AZU1
Swiss	P20160
别名	AZU1;AZAMP;AZU;CAP37;HBP;HUMAZUR;NAZC;hHBP

#### 产品验证



Western blot analysis of AZU1 expressed in LO2 using AZU1 Rabbit pAb at 1:1000. Secondary antibody: H RP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn