

# AATF Rabbit pAb

货号: B16886

## 产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:1000 - 1:5000
理论分子量	63kDa
实测分子量	80-90KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	RAW264.7,NIH/3T3,Neuro-2a
细胞定位	Nucleus,nucleolus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 7-100 of human AATF ( NP_036270.1).
序列	LALQLEQLLNPRPSEADPEADPEEATAARVIDRFDEGEDGEGDFLVGSIRKLASASLLDSDKRYCGKTTSRKAWNEDHW EQTLPGSSDEEISD

## 靶点信息

研究背景	The protein encoded by this gene was identified on the basis of its interaction with MAP3K12/DLK, a prote in kinase known to be involved in the induction of cell apoptosis. This gene product contains a leucine zip per, which is a characteristic motif of transcription factors, and was shown to exhibit strong transactivatio n activity when fused to Gal4 DNA binding domain. Overexpression of this gene interfered with MAP3K12 induced apoptosis.
基因ID	26574

基因名	AATF
Swiss	Q9NY61
别名	AATF;BFR2;CHE-1;CHE1;DED

产品验证



Western blot analysis of AATF expressed in RAW264.7,NIH/3T3,Neuro-2a using AATF Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)