

# **CHRM5 Rabbit pAb**

货号: **B17071** 

# 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	60kDa
实测分子量	60KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse spinal cord
细胞定位	Cell junction,Cell membrane,Multi-pass membrane protein,postsynaptic cell membrane,synapse
纯化	Affinity purification

# 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 275-370 of human CHR M5 (NP_036257.1).	
序列	RRSTSTTGKPSQATGPSANWAKAEQLTTCSSYPSSEDEDKPATDPVLQVVYKSQGKESPGEEFSAEETEETFVKAETEKS DYDTPNYLLSPAAAHR	

#### 靶点信息

	The muscarinic cholinergic receptors belong to a larger family of G protein-coupled receptors. The functio nal diversity of these receptors is defined by the binding of acetylcholine and includes cellular responses such as adenylate cyclase inhibition, phosphoinositide degeneration, and potassium channel mediation. Muscarinic receptors influence many effects of acetylcholine in the central and peripheral nervous syste m. The clinical implications of this receptor are unknown; however, stimulation of this receptor is known t o increase cyclic AMP levels.
--	---

基因ID	1133
基因名	CHRM5
Swiss	P08912
别名	CHRM5;HM5

# 产品验证



Western blot analysis of CHRM5 expressed in Mouse spinal cord using CHRM5 Rabbit pAb at 1:1000. Seco ndary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buff er: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

### 实验步骤

访问官网浏览详情: www.ablybio.cn