

UBL4A Rabbit pAb

货号**: B17222**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IP
推荐浓度	WB: 1:200 - 1:1000 IP: 1:500 - 1:1000
理论分子量	17kDa
实测分子量	14-16kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HeLa,A-549,U-87MG,Mouse brain,Mouse kidney
细胞定位	Cytoplasm,cytosol
纯化	Affinity purification

抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-157 of human UBL4A (NP_055050.1).	
序列	MQLTVKALQGRECSLQVPEDELVSTLKQLVSEKLNVPVRQQRLLFKGKALADGKRLSDYSIGPNSKLNLVVKPLEKVLLEE GEAQRLADSPPPQVWQLISKVLARHFSAADASRVLEQLQRDYERSLSRLTLDDIERLASRFLHPEVTETMEKGFSK	

靶点信息

研究背景	As part of a cytosolic protein quality control complex, the BAG6/BAT3 complex, maintains misfolded and h ydrophobic patches-containing proteins in a soluble state and participates in their proper delivery to the endoplasmic reticulum or alternatively can promote their sorting to the proteasome where they undergo degradation. The BAG6/BAT3 complex is involved in the post-translational delivery of tail-anchored/type II transmembrane proteins to the endoplasmic reticulum membrane. Recruited to ribosomes, it interacts with the transmembrane region of newly synthesized tail-anchored proteins and together with SGTA and ASNA1 mediates their delivery to the endoplasmic reticulum. Client proteins that cannot be properly deliv ered to the endoplasmic reticulum are ubiquitinated and sorted to the proteasome. Similarly, the BAG6/B AT3 complex also functions as a sorting platform for proteins of the secretory pathway that are mislocaliz ed to the cytosol either delivering them to the proteasome for degradation or to the endoplasmic reticulu m. The BAG6/BAT3 complex also plays a role in the endoplasmic reticulum-associated degradation (ERAD , a quality control mechanism that eliminates unwanted proteins of the endoplasmic reticulum through th eir retrotranslocation to the cytosol and their targeting to the proteasome. It maintains these retrotranslo cated proteins in an unfolded yet soluble state condition in the cytosol to ensure their proper delivery to the proteasome.
基因ID	8266
基因名	UBL4A
Swiss	P11441
别名	UBL4A;DX254E;DXS254E;G6PD;GDX;GET5;MDY2;TMA24;UBL4

产品验证



Western blot analysis of UBL4A expressed in Mouse brain,HeLa,A-549 using UBL4A Rabbit pAb at 1:100 0. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blo cking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn