

# COX6A1 Rabbit pAb

货号: **B17277** 

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:200 - 1:2000 IHC: 1:20 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	12kDa
实测分子量	12kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,MCF7,Mouse kidney,Mouse heart,Mouse liver,Rat liver,Rat brain
细胞定位	Mitochondrion inner membrane
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 25-109 of human COX6 A1 (NP_004364.2).	
序列	SSGAHGEEGSARMWKTLTFFVALPGVAVSMLNVYLKSHHGEHERPEFIAYPHLRIRTKPFPWGDGNHTLFHNPHVNPLPT GYEDE	

靶点信息

研究背景	Cytochrome c oxidase (COX), the terminal enzyme of the mitochondrial respiratory chain, catalyzes the el ectron transfer from reduced cytochrome c to oxygen. It is a heteromeric complex consisting of 3 catalyti c subunits encoded by mitochondrial genes and multiple structural subunits encoded by nuclear genes. T he mitochondrially-encoded subunits function in the electron transfer and the nuclear-encoded subunits may function in the regulation and assembly of the complex. This nuclear gene encodes polypeptide 1 (liv er isoform) of subunit VIa, and polypeptide 1 is found in all non-muscle tissues. Polypeptide 2 (heart/musc le isoform) of subunit VIa is encoded by a different gene, and is present only in striated muscles. These t wo polypeptides share 66% amino acid sequence identity. It has been reported that there may be several pseudogenes on chromosomes 1, 6, 7q21, 7q31-32 and 12. However, only one pseudogene (COX6A1P) on chromosome 1p31.1 has been documented.
基因ID	1337
基因名	COX6A1
Swiss	P12074
别名	COX6A1;CMTRID;COX6A;COX6AL

## 产品验证



Western blot analysis of COX6A1 expressed in Mouse kidney,Rat liver,A-549 using COX6A1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per I ane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: www.ablybio.cn