

TFPI Rabbit pAb

货号: **B18015**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	28kDa/35kDa
实测分子量	34KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse plasma, Mouse heart, Rat lung
细胞定位	GPI-anchor,Lipid-anchor,Microsome membrane,Secreted
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 29-224 of human TFPI (NP_001027452.1).	
序列	DSEEDEEHTIITDTELPPLKLMHSFCAFKADDGPCKAIMKRFFFNIFTRQCEEFIYGGCEGNQNRFESLEECKKMCTRDNAN RIIKTTLQQEKPDFCFLEEDPGICRGYITRYFYNNQTKQCERFKYGGCLGNMNNFETLEECKNICEDGPNGFQVDNYGTQL NAVNNSLTPQSTKVPSLFVTKEGTNDGWKNAAH	

靶点信息

研究背景	This gene encodes a protease inhibitor that regulates the tissue factor (TF)-dependent pathway of blood c oagulation. The coagulation process initiates with the formation of a factor VIIa-TF complex, which proteol ytically activates additional proteases (factors IX and X) and ultimately leads to the formation of a fibrin c lot. The product of this gene inhibits the activated factor X and VIIa-TF proteases in an autoregulatory loo p. The encoded protein is glycosylated and predominantly found in the vascular endothelium and plasma in both free forms and complexed with plasma lipoproteins. Several alternatively spliced transcript varian ts of this gene have been described, but the full-length nature of some of these variants has not been con firmed.
基因 ID	7035
基因名	TFPI
Swiss	P10646
别名	TFPI;EPI;LACI;TFI;TFPI1

产品验证



Western blot analysis of TFPI expressed in Mouse plasma, Mouse heart, Rat lung using TFPI Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane . Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn