

RLIM Rabbit pAb

货号: **B18181**

产品信息

| - 1 | |
|-------|---|
| 反应 | Human, Mouse |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 52kDa/68kDa |
| 实测分子量 | 75kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Raji,Mouse brain |
| 细胞定位 | Nucleus |
| 纯化 | Affinity purification |

抗原信息


| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 535-624 of human RLIM (NP_057204.2). | |
|------|--|--|
| 序列 | FLLNEDDDDQPRGLTKEQIDNLAMRSFGENDALKTCSVCITEYTEGNKLRKLPCSHEYHVHCIDRWLSENSTCPICRRAVL ASGNRESVV | |

靶点信息

| 研究背景 | The protein encoded by this gene is a RING-H2 zinc finger protein. It has been shown to be an E3 ubiquiti n protein ligase that targets LIM domain binding 1 (LDB1/CLIM), and causes proteasome-dependent degra dation of LDB1. This protein and LDB1 are co-repressors of LHX1/LIM-1, a homeodomain transcription fact or. Multiple alternatively spliced variants, encoding the same protein, have been identified. |
|--------------|---|
| 基因 ID | 51132 |

| 基因名 | RLIM |
|-------|----------------------------|
| Swiss | Q9NVW2 |
| 别名 | RLIM;MRX61;NY-REN-43;RNF12 |

产品验证



Western blot analysis of RLIM expressed in Raji,Mouse brain using RLIM Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn